## BEE STING ALLERGY CARE PLAN SCHOOL HEALTH MANAGEMENT PLAN

Student's Name:	Date	of Birth:	School Year:	
School:	Grade:	Classroom	Teacher:	·
	s (higher risk for severe reaction)			
	on antihistamines or inhalers (bro		treat a severe reaction. US	E EPINEPHRINE.
EMERGENCY CONTACT	TS: Relationship:	Home phone:	Work phone: Cell phone	e: ·
1		<del></del>		<u> </u>
2				· ·
3				·
MOUTH THROAT SKIN STOMACH LUNG HEART	Shortness of breath, repetitive of "Thready pulse", "passing out". The severity of symptoms can distinguishment is important that treatment is	ne or mouth reseness, cough ce and extremities niting, diarrhea cough, wheezing change quickly	ely.	Student Photo
		oport Staff	☐ Transportation S	
Benadryl ordered:	Remove stinger if visible, apply initiated  with symptoms w Yes No	rithout waiting for Give	Rinse contact area w symptoms Benadryl per provid	
Epinephrine ordered:	ll parent/guardian if off school gro Ves   No Speci			
AND EPIN Preferred Hospital if t Epinephrine provides rate. This is a normal member should accor	MS BEYOND REDNESS OR S NEPHRINE IS ORDERED, GIV transported: 20 minute response window. Aft response. Students receiving epine mpany the student to the emergency for other students is present.	WELLING AT 'VE EPINEPHR' ter epinephrine, a ephrine should be y room if the pare	THE SITE OF THE STIN INE IMMEDIATELY ANI  student may feel dizzy or have transported to the hospital by	G ARE PRESENT O CALL 911. e an increased heart ambulance. A staff stact is not present and
_	n: Medication available on bus		•	not ride bus
Healthcare Provider:	· · · · · · · · · · · · · · · · · · ·		Phone:	

Parent/Guardian Signature;